

22.18 Gas and Service Station Commercial (ZC18) – Brighthouse Village (City Centre)

22.18.1 Purpose

The **zone** provides for **gas station** and **service station** along with other compatible **uses**.

22.18.2 Permitted Uses

- **service station**
- **gas station**

22.18.3 Secondary Uses

- **car wash**
- **retail, convenience**

22.18.4 Permitted Density

1. The maximum **floor area ratio** (FAR) is 0.35.

22.18.5 Permitted Lot Coverage

1. The maximum **lot coverage** is 35% for **buildings**.

22.18.6 Yards & Setbacks

1. The minimum **front yard** and **exterior side yard** is:
 - a) 12.0 m for **buildings**;
 - b) 4.5 m for pump islands and above-ground storage tanks; and
 - c) 1.5 m for canopies.
2. The minimum **interior side yard** and **rear yard** is:
 - a) 3.0 m for **buildings**;
 - b) 10.0 m for pump islands and above-ground storage tanks; and
 - c) 3.0 m for canopies.
3. A **car wash** shall be no closer than 20.0 m to a **zone** which permits residential **uses**.

22.18.7 Permitted Heights

1. The maximum **height** for **buildings** is 9.0 m.
2. The maximum **height** for **accessory structures** is 12.0 m.

22.18.8 Subdivision Provisions/Minimum Lot Size

1. There are no minimum **lot width**, **lot depth** or **lot area** requirements.

22.18.9 Landscaping & Screening

1. **Landscaping** and **screening** shall be provided in accordance with the provisions of Section 6.0.

22.18.10 On-Site Parking and Loading

1. On-site **vehicle** and bicycle parking and loading shall be provided according to the standards set out in Section 7.0.

22.18.11 Other Regulations

1. **Retail, convenience** shall be limited to a total **floor area** of 83.7 m².
2. **Car wash** shall be a **secondary use** to **service station** only.
3. A full or semi-automatic **car wash** must be wholly contained in a **building** and must comply with the **City's Public Health Protection Bylaw**.
4. In addition to the regulations listed above, the General Development Regulations in Section 4.0 and the Specific Use Regulations in Section 5.0 apply.