




City of Richmond

Engineering Design Specifications

June 2008





CITY OF RICHMOND

ENGINEERING

DESIGN SPECIFICATIONS

JUNE 2008

**THIS DOCUMENT DETAILS THE
MINIMUM STANDARDS TO BE USED
FOR THE DESIGN OF ENGINEERING
PROJECTS AND SHOULD BE USED IN
CONJUNCTION WITH BYLAW NO. 6530
TO REGULATE THE PROVISION OF
WORKS AND SERVICES UPON
SUBDIVISION OF LAND.**

AMENDMENT REGISTER

Amendment No.	Date	Amended Section	Amended Page	Description of Amendment
1	June 21, 2011	Section 9.0	9.1, 9.2, 9.3	Added Section 9.0
2	June 21, 2011	Section I	VII, VIII	Added reference to Section 9.0
3	Nov. 18, 2014	Section 9.5	9.2, 9.3	Revised Section 9.5 and drawing WC-1-DS
4	Aug. 2, 2019	Section 7.11.4	7.9	Revised Section 7.11.4 and updated Table 7.2 Curb Return Radii
5	Sept. 19, 2019	Section 7.0	7-22 to 7-30	Added Road Drawings R-1-DS to R-9-DS
6	Nov. 13, 2019	Section 3.0	3-16	Updated Figure 3.1 Short Duration IDF Curves
7	Nov. 12, 2024	Section 10.0	10-1, 10-2	Added Section 10.0

TABLE OF CONTENTS

1.0	GENERAL REQUIREMENTS.....	1-1
1.1	GENERAL.....	1-1
1.2	APPROVAL OF SERVICES	1-1
1.3	SUBDIVISION AND DEVELOPMENT SERVICING PROCEDURES	1-3
1.4	GENERAL MANAGER OF ENGINEERING AND PUBLIC WORKS	1-4
1.5	DRAFTING REQUIREMENTS	1-4
1.6	RIGHTS OF WAY AND EASEMENTS	1-4
1.7	REVISIONS TO THE DESIGN SPECIFICATIONS	1-4
1.8	GLOSSARY OF TERMS	1-4
2.0	FIELD SURVEY REQUIREMENTS.....	2-1
2.1	GENERAL.....	2-1
2.2	MINIMUM SURVEY REQUIREMENTS	2-1
2.3	UNCOVERING OF EXISTING UNDERGROUND UTILITIES.....	2-2
2.4	SURVEY CONTROL.....	2-2
2.5	“AS-CONSTRUCTED” SURVEY	2-2
3.0	STORM DRAINAGE	3-1
3.1	GENERAL.....	3-1
3.1.1	Stormwater Management Plan.....	3-1
3.1.2	Design Frequency	3-2
3.1.3	Sediment Control and Sediment Control Plan.....	3-2
3.2	RUNOFF ANALYSIS	3-3
3.3	RATIONAL METHOD	3-4
3.3.1	Runoff Coefficients.....	3-4
3.3.2	Time of Concentration	3-4
3.3.3	Rainfall Intensity.....	3-5
3.3.4	Presentation of Rational Calculations	3-5
3.4	RUNOFF HYDROGRAPH METHOD.....	3-6
3.4.1	Selection of Modeling Program	3-6
3.4.2	Catchment Parameters	3-6
3.4.3	Storm Events.....	3-6
3.4.4	Presentation of Modeling Results	3-6
3.5	HYDRAULICS.....	3-7
3.5.1	Pipe and Channel Capacity	3-7
3.5.2	Hydraulic Grade Line (HGL) & Minimum Building Elevation (MBE) ..	3-7
3.6	MINIMUM VELOCITY	3-8
3.7	MINIMUM PIPE SIZES.....	3-8
3.8	MINIMUM GRADES	3-8
3.9	LOCATION	3-8
3.10	SEPARATION.....	3-9

3.10.1	Horizontal Separation	3-9
3.10.2	Vertical Separation.....	3-9
3.11	MINIMUM DEPTH OF COVER.....	3-9
3.12	PIPE JOINTS	3-10
3.13	CURVILINEAR SEWERS.....	3-10
3.14	MANHOLES	3-10
3.14.1	Location	3-10
3.14.2	Hydraulic Details	3-10
3.14.3	Other Requirements	3-10
3.15	CATCH BASINS (C.B.).....	3-11
3.16	SERVICE CONNECTION/INSPECTION CHAMBERS	3-12
3.16.1	Service Connections.....	3-12
3.16.2	Inspection Chambers (I.C.).....	3-12
3.17	LANE DRAINAGE	3-13
3.18	INLET AND OUTLET STRUCTURE	3-13
3.19	RUNOFF QUALITY CONTROL TREATMENT FACILITIES.....	3-14
4.0	SANITARY SEWERS.....	4-1
4.1	GENERAL.....	4-1
4.2	SEWAGE CHARACTERISTICS	4-1
4.3	SEWAGE FLOWS	4-1
4.4	HYDRAULICS.....	4-2
4.4.1	Downstream System Capacity	4-2
4.4.2	Design Flow	4-2
4.4.3	Pipe Flow	4-3
4.5	MINIMUM VELOCITY	4-4
4.6	MINIMUM PIPE SIZES.....	4-4
4.7	MINIMUM GRADE.....	4-4
4.8	LOCATION	4-4
4.9	SEPARATION.....	4-4
4.9.1	Horizontal Separation	4-5
4.9.2	Vertical Separation.....	4-5
4.10	MINIMUM DEPTH OF COVER.....	4-5
4.11	CURVILINEAR SEWERS.....	4-5
4.12	MANHOLES	4-5
4.12.1	Location	4-5
4.12.2	Hydraulic Details	4-6
4.12.3	Other Requirements	4-6
4.13	SERVICE CONNECTION/INSPECTION CHAMBERS	4-6
4.13.1	Service Connections.....	4-6
4.13.2	Inspection Chambers (I.C.)	4-7
4.14	PUMPING STATIONS	4-7
4.15	FORCE MAINS.....	4-7
5.0	WATER DISTRIBUTION.....	5-1

5.1	GENERAL.....	5-1
5.2	DEMANDS.....	5-1
5.2.1	Consumption Demand	5-1
5.2.2	Fire Flow Demand	5-2
5.3	HYDRAULICS.....	5-3
5.3.1	Design Flow	5-3
5.3.2	Water Pressure	5-3
5.3.3	Analysis.....	5-3
5.3.4	Hydraulic Design	5-4
5.4	VELOCITY AND HEADLOSS	5-4
5.5	MINIMUM PIPE SIZES.....	5-4
5.6	MINIMUM GRADE.....	5-4
5.7	DEFLECTION.....	5-4
5.8	LOCATION	5-4
5.9	SEPARATION.....	5-5
5.9.1	Horizontal Separation	5-5
5.9.2	Vertical Separation.....	5-5
5.10	MINIMUM DEPTH OF COVER.....	5-6
5.11	CROSSINGS.....	5-6
5.12	THRUST RESTRAINT	5-6
5.13	VALVES.....	5-6
5.13.1	Isolation Valves	5-6
5.13.2	Air Valves	5-7
5.14	HYDRANTS.....	5-7
5.14.1	Locations.....	5-7
5.14.2	Other Requirements	5-7
5.15	FLUSHOUTS/BLOW-OFFS.....	5-8
5.16	SERVICE CONNECTIONS.....	5-8
5.16.1	Location	5-8
5.16.2	Size.....	5-8
5.16.3	Cover.....	5-9
5.16.4	Connection to Main.....	5-9
5.16.5	Water Meters.....	5-9
5.16.6	Backflow Prevention.....	5-9
5.17	DEAD ENDS	5-9
5.17.1	Street Ends	5-9
5.17.2	Cul-de-sacs.....	5-9
5.18	PRV AND PUMP STATIONS.....	5-9
5.19	CORROSION PROTECTION.....	5-10
5.20	CONNECTION TO EXISTING MAINS	5-10
6.0	ROADWAY LIGHTING	6-1
6.1	GENERAL.....	6-1
6.2	CODES, RULES, STANDARDS AND PERMITS	6-1

6.2.1	Codes.....	6-1
6.2.2	Rules	6-1
6.2.3	Standards.....	6-1
6.2.4	Permits	6-2
6.3	DESIGN CRITERIA	6-2
6.4	LIGHT SOURCE.....	6-2
6.5	LIGHT LOSS FACTORS (LLF).....	6-2
6.6	PAVEMENT SURFACE CLASSIFICATION	6-3
6.7	INTERSECTION LIGHTING.....	6-3
6.8	SPECIAL CONSIDERATIONS.....	6-3
6.9	CALCULATIONS	6-3
6.9.1	Lighting Programs	6-3
6.9.2	Electrical	6-4
6.9.3	Design Data Submission	6-4
6.10	POLES	6-5
6.10.1	Type	6-5
6.10.2	Locations.....	6-6
6.10.3	Offsets	6-7
6.11	LUMINAIRES	6-7
6.12	POWER SUPPLY AND DISTRIBUTION	6-7
6.13	UNDERGROUND CONDUITS	6-8
6.14	COMMUNICATIONS CONDUITS	6-8
7.0	ROADWORKS	7-1
7.1	GENERAL.....	7-1
7.2	ROAD CLASSIFICATION.....	7-1
7.3	ROAD CROSS SECTIONS	7-2
7.4	NEW ROADS	7-4
7.5	TIE INTO EXISTING ROAD	7-4
7.6	CUL-DE-SACS.....	7-4
7.7	LOOP ROADS.....	7-5
7.8	LANES.....	7-5
7.9	CURB/GUTTER.....	7-5
7.9.1	Medians.....	7-5
7.10	GEOMETRIC DESIGN REQUIREMENTS.....	7-5
7.10.1	Design Speeds.....	7-5
7.10.2	Design Gradients.....	7-6
7.10.3	Cross Slopes and Superelevation	7-6
7.10.4	Vertical Curves	7-6
7.10.5	Horizontal Curves	7-6
7.11	INTERSECTIONS.....	7-7
7.11.1	General.....	7-7
7.11.2	Major Intersections	7-7
7.11.3	Intersections at Major Arterial Roads	7-7

7.11.4	Curb Returns	7-8
7.11.5	Corner Cuts	7-9
7.12	RAILWAY CROSSINGS.....	7-9
7.13	DRIVEWAYS.....	7-9
7.13.1	Two-way Driveways.....	7-9
7.13.2	One-way Driveways.....	7-9
7.14	PEDESTRIANS AND DISABLED ACCESS	7-11
7.14.1	Wheelchair Ramps	7-11
7.14.2	Sidewalks	7-12
7.14.3	Walkways.....	7-12
7.15	TRAFFIC CALMING	7-13
7.16	BICYCLES	7-13
7.17	TRANSIT.....	7-13
7.18	PAVEMENT STRUCTURE DESIGN REQUIREMENTS	7-14
7.18.1	Existing Pavement	7-14
7.18.2	Asphalt-Concrete Pavement.....	7-15
7.19	UTILITY RELOCATIONS	7-15
7.20	ROAD EMBANKMENT GRADING	7-15
7.21	POSTAL BOXES	7-16
7.22	TRAFFIC SIGNALS	7-16
7.23	TRAFFIC SIGNS AND STREET MARKINGS.....	7-16
7.24	TRANSPORTATION IMPACT STUDY	7-17
7.24.1	General Requirements.....	7-17
7.24.2	Data Requirements.....	7-17
7.24.3	Transportation Analysis	7-17
8.0	STREET TREE AND BOULEVARD PLANTING	8-1
8.1	GENERAL.....	8-1
8.1.1	Approval	8-1
8.2	DESIGN CRITERIA	8-1
8.2.1	Landscaping Medians and Boulevards	8-1
8.2.2	Street Tree Spacing	8-1
8.2.3	Minimum Tree Planting Clearances	8-1
8.2.4	Grating Requirements	8-2
8.2.5	Tree Root Barriers.....	8-2
8.2.6	Tree Support.....	8-2
8.2.7	Growing Medium.....	8-2
8.2.8	Irrigation	8-3
8.2.9	Drawings	8-3
8.3	REFERENCES	8-3
9.0	WATERCOURSE CROSSING.....	9-1
9.1	GENERAL.....	9-1
9.2	DRAFTING REQUIREMENTS	9-1
9.3	MINIMUM SURVEY REQUIREMENTS	9-1

9.4	BRIDGE.....	9-1
9.5	CULVERT	9-2
10.0	DIKE	10-1
10.1	GENERAL.....	10-1
10.2	DRAFTING REQUIREMENTS	10-1
10.3	MINIMUM SURVEY REQUIREMENTS	10-1

LIST OF TABLES

Table 1.1	Governing Authorities	1-2
Table 3.1	Runoff Coefficients.....	3-4
Table 3.2	Minimum Inlet Times	3-5
Table 3.3	Storm Sewer Design - Rational Method	3-17
Table 3.4	Common Impervious Fractions	3-6
Table 4.1	Sewage Flows	4-2
Table 4.2	Equivalent Population Factors	4-2
Table 4.3	Sanitary Sewer Design Sheet	4-9
Table 5.1	Fire Flows	5-2
Table 6.1	Illuminance Design Criteria.....	6-5
Table 6.2	Acceptable Pole Arrangements.....	6-6
Table 7.1	Road Cross Section Requirements.....	7-3
Table 7.2	Curb Return Radii	7-8
Table 7.3	Driveway Crossing Types and Widths	7-10
Table 7.4	Pavement, Gravel and Sand Thickness.....	7-15
Table 8.1	Grating Requirements	8-2

LIST OF FIGURES

Figure 3.1	Short Duration Rainfall Intensity-Duration-Frequency (IDF) Curves	3-16
Figure 3.2	10-Year 2-hour Site Level Storm.....	3-18
Figure 3.3	10-Year 24-Hour Planning Level Storm.....	3-19

LIST OF DRAWINGS

R-1-DS	Typical Cross Section: Arterial Road	7-21
R-2-DS	Typical Cross Section: Collector Road - Residential	7-22
R-3-DS	Typical Cross Section: Local/Collector Road - Industrial/Commercial	7-23
R-5-DS	Typical Cross Section: Local Road - Residential (Multi-family).....	7-24
R-5-DS	Typical Cross Section: Local Road - Residential (Single-family).....	7-25
R-6-DS	Typical Cross Section: Lane - Outside City Centre.....	7-26
R-7-DS	Typical Cross Section: Lane - City Centre	7-27
R-8-DS	Typical Cross Section: Walkway.....	7-28
R-9-DS	Driveway Guidelines	7-29
WC-1-DS	Watercourse Crossing Detail Drawing	9-4